

# Incidence of End-Stage Kidney Disease (ESKD), by Primary Diagnosis

Name	Incidence of End-Stage Kidney Disease (ESKD), by Primary Diagnosis
Short/Other Names	Not applicable
Description	Breakdown by primary diagnosis of all incident patients (new patients) with end-stage kidney disease who began renal replacement therapy (RRT) (either dialysis or renal transplantation) for the first time in the calendar year
Interpretation	Increasing incidence rates over time have important implications for resources, disease management and the need for kidney donation.
HSP Framework Dimension	Health System Outcomes: Improve health status of Canadians
Areas of Need	Not applicable
Geographic Coverage	All provinces/territories except Quebec
Reporting Level /Disaggregation	Province/Territory, Breakdown by sex, breakdown by age categories
Indicator Results	<a href="#">Incident End-Stage Renal Disease (ESRD) Patients by Primary Diagnosis</a>
<b>Identifying Information</b>	
Name	Incidence of End-Stage Kidney Disease (ESKD), by Primary Diagnosis
Short/Other Names	Not applicable
<b>Indicator Description and Calculation</b>	
Description	Breakdown by primary diagnosis of all incident patients (new patients) with end-stage kidney disease who began renal replacement therapy (RRT) (either dialysis or renal transplantation) for the first time in the calendar year
Calculation: Description	Counts and rates are based on patients registered during a given calendar year in a Canadian facility. Patients who began RRT for ESKD outside of Canada but are subsequently treated in Canada are included in prevalence counts but not incidence counts.
Calculation: Geographic Assignment	Place of service
Calculation: Type of Measurement	Rate - Per 1,000,000
Calculation: Adjustment Applied	None
Calculation: Method of Adjustment	Not applicable
Denominator	<p><b>Description:</b> Canadian population</p> <p><b>Inclusions:</b> All Canadians currently residing in Canada</p> <p><b>Exclusions:</b> Not applicable</p> <p><b>Description:</b> Patients registered in the Canadian Organ Replacement Register (CORR) who started RRT for ESKD</p> <p><b>Inclusions:</b> Patients registered in CORR during a given calendar year (January 1–December 31)</p>
Numerator	<p>Patients registered in CORR during a given calendar year (January 1–December 31)</p> <p>Patients must have a valid primary diagnosis code.</p> <p><b>Exclusions:</b> Patients who began RRT for ESKD outside of Canada but are subsequently treated in Canada</p>
<b>Background, Interpretation and Benchmarks</b>	
Rationale	Disease etiology can be tracked by viewing changes in the primary diagnosis over time. There are significant costs associated with treating this patient group.
Interpretation	Increasing incidence rates over time have important implications for resources, disease management and the need for kidney donation.
HSP Framework Dimension	Health System Outcomes: Improve health status of Canadians
Areas of Need	Not applicable
Targets /Benchmarks	Not applicable
References	<p>Nesrallah GE, Mustafa RA, Clark WF, et al. Canadian Society of Nephrology 2014 Clinical Practice Guideline for Timing the Initiation of Chronic Dialysis. <i>CMAJ</i>. 2014;186(2):112-117. Available at <a href="http://www.cmaj.ca/content/186/2/112">http://www.cmaj.ca/content/186/2/112</a></p> <p>Levin A, Hemmelgarn B, Culeton B, et al. Guidelines for Management of Chronic Kidney Disease. <i>CMAJ</i>. 2008;179(11):1154-1162. Available at <a href="http://www.cmaj.ca/content/179/11/1154">http://www.cmaj.ca/content/179/11/1154</a></p>
<b>Availability of Data Sources and Results</b>	
Data Sources	CORR

	<b>Type of Year:</b> Calendar
Available Data Years	<b>First Available Year:</b> 2008
	<b>Last Available Year:</b> 2017
Geographic Coverage	All provinces/territories except Quebec
Reporting Level/Disaggregation	Province/Territory, Breakdown by sex, breakdown by age categories
Result Updates	
Update Frequency	Every year
	<b>Web Tool:</b> Quick Stats
Indicator Results	<b>URL:</b> <a href="#">Incident End-Stage Renal Disease (ESRD) Patients by Primary Diagnosis</a>
Updates	Not applicable
Quality Statement	
Caveats and Limitations	The indicator is based on voluntary data submitted to CORR from facilities across Canada. Submission of data for patients beginning RRT for ESKD is not mandatory.  Data from Quebec was not included because of significant under-reporting between 2011 and 2017, which may lead to biased results.
Trending Issues	An overview of under-reporting of incident ESKD cases can be found in <a href="#">Data Quality Documentation for Users: Canadian Organ Replacement Register, 2008 to 2017 Data</a> .
Comments	Not applicable